

Cumulative Index 1988

Volume 15

| | |
|----------------|--|
| <i>January</i> | RHINOPLASTY , pages 1-168 |
| <i>April</i> | OCULOPLASTIC SURGERY , pages 169-340 |
| <i>July</i> | GENITOURINARY SURGERY , pages 341-516 |
| <i>October</i> | PLASTIC AND RECONSTRUCTIVE BREAST SURGERY , pages 517-726 |

Note: Page numbers of article titles are in boldface type.

- Abscess(es), following blepharoplasty, 327-329
- Adhesives, silicone, 518-519
- Adolescents, hypospadias repair in, 401-402
- Aesthetics, nasal reconstruction and, 155-166
- AIDS, sigmoid vaginoplasty and, 469
- test for, in transsexualism, 473
- Airway obstruction, nasal, due to inferior turbinate hypertrophy, diagnosis and treatment of, 11-13
- treatment of, basic philosophy of, 11-12
- Alar deformities, rhinoplasty in, 34
- Alar rim deformities, resections in, 149-154
- Amblyopia, and ptosis, 170
- Anesthesia, for pediatric hypospadias repair, 400
- for rhinoplasty, 15-17
- for transaxillary subpectoral augmentation mammoplasty, 559
- in hypertrophy of inferior turbinate, 12
- local, for upper blepharoplasty, 290-291
- Angiomas, traumatic, following blepharoplasty, 332
- Anophthalmos, congenital, 170
- Antibacterials, to reduce capsular contracture, 528
- Antrostomy, Caldwell-Luc, in orbital fractures, 240
- Anxiety, of parents, perception of, by pediatric patient, 402
- of patient, in pediatric hypospadias repair, 401
- Aponeurosis, resection, in ptosis, 177-179, 188, 189
- Areola reconstruction, following breast reconstruction, 698
- Arm, anatomy of, 425
- Arm flap, radial, in reconstruction of penis, 425-430, 439
- incorporation of clitoris into, 426
- technique for, 425-429
- transplantation of, to penis, 426
- Aspirin, common products containing, 313
- Astigmatism, corneal, following blepharoplasty, 332-333
- Augmentation mammoplasty, expansion, 587-593
- advantages of, 587
- discussion of, 592-593
- technique of, 587-592
- history of, 549-550
- mammography following, 553
- polyurethane-coated prosthesis in, 554
- retromuscular augmentation in, 550-553
- retropectoral augmentation in, 553
- retropectoral versus retromammary implantation for, 549-555
- subpectoral, primary selective pectoral neurectomy in, 608-609
- technique for, 550-552
- transaxillary subpectoral, 557-568
- anesthesia for, 559
- complications for, 566-567
- limitations of, 566
- operative planning for, 558-559
- patient evaluation for, 557-558
- postoperative care following, 561-563
- preoperative marking for, 559
- results of, 563-566
- surgical technique for, 559-561
- Axilla, structures of, 560
- Bleeding, in blepharoplasty, loss of vision following, 309-314
- prevention of, 311-314
- orbital and periorbital, in orbital fractures, 241-242
- Blepharochalasis syndrome, 176
- Blepharophimosis syndrome, 170, 262
- Blepharoplasty, abscess following, 327-329
- asymmetry of palpebral fissure following, 330
- bleeding in, loss of vision in, 309-314
- prevention of, 311-314
- bowing of cicatricial lower eyelids following, 316-322
- cellulitis following, 327-329
- chalazia formation following, 332
- complications of, 309-335
- corneal astigmatism following, 332-333
- dermal pigmentation following, 334
- diplopia following, 327
- dysfunction of lacrimal system following, 322-327
- festoons following, 333-334
- global perforation in, loss of vision following, 314
- impaired ocular and extraocular motility following, 327
- inappropriate fat resection in, 329
- incisional scarring following, 333
- lower lid, skin-muscle flap, 305-308
- with skin flap and muscle split, 299-304
- malposition of eyelids following, 314-316
- skin/muscle excision for, 291
- suture tunnels following, 330-332

- Blepharoplasty (*Continued*)
 traumatic angiomas following, 332
 upper, cosmetic, 289-297
 in ptotic lacrimal gland, 295
 local anesthesia for, 290-291
 orbital fat excision in, 291-292, 294
 postoperative care in, 296-297
 premedication for, 289
 preoperative evaluation for, 289
 results of, 297
 skin incision for, 291
 skin markings for, 289-290, 292-293
 submuscular fat excision in, 291, 293
 suturing in, 295-296
- Blindness. See *Vision, loss of.*
- Bone(s), nasal, deformity of, in saddle deformity, 84
 surgery of, in chin augmentation, 141
- Bone graft(s), for reconstruction in saddle deformity, 88
 harvesting of, for use in saddle deformity, 88-90
 immobilization of, in saddle deformity reconstruction, 90-92
 in post-cleft reconstruction, 81
 recipient site preparation for, for use in saddle deformity, 90
 rib, for nasal augmentation, 58-60, 61
 shaping of, for use in saddle deformity, 90
- Breast(s), aesthetic and reconstructive surgery of, informed consent in, 541-548
 anatomy of, 602-604
 apocrine metaplasia of, 657
 atypical epithelial hyperplasia of, 660-661
 benign changes in, breast cancer and, 655
 terminology for, 656
 blunt duct adenosis of, 656, 657
 cancer of, biopsy proven, total mastectomy in, 680-681
 correlated with breast size, 662
 risk correlated with age and family history, 659-662, 665
 risk factors for development of, 677-680
 cystic duct dilation of, 655-656
 ductal carcinoma in situ of, 663
 ductal ectasia of, 658
 epithelial hyperplasia of, 658-660
 fibroadenoma of, 657
 hard, in capsular contracture, 521-532
 lobular carcinoma in situ of, 662-663
 and intraductal carcinoma of, compared, 680, 681
 nonproliferative disease of, 655-656
 proliferative disease of, 658-663
 ptosis, mammoplasty in, 630, 633-634, 635, 636
 minus-plus mastopexy in, 597, 598, 599
 radial scar of, 658, 659
 sclerosing adenosis of, 657-658
 surgery, plastic and reconstructive, 517-726
 volume and skin envelope of, central pedicle free-hand technique for alteration of, 613-625
- Breast implant(s), distortion, from retromuscular augmentation, 525, 526, 527
 foam-covered, 533-539
 capsular contracture in, 535-537
 carcinogenicity and, 538
 foreign body reaction to, 533-537, 538
 infection in, 537-538
 materials and methods of research on, 533
 results and discussion of research on, 533-538
 polyurethane foam-covered, 526, 533-539
 saline-filled, 525-526
 silicone gel, encapsulated, 522, 523
 sponge, encapsulated, 522, 523
 serome formation around, 522
 submammary relocation of, 609, 611
 subpectoral, complications of, 610
 distortion of, 601-611
 problems associated with, 601-602
 results of, 609-610
- Breast patient, high-risk, pathologic considerations in, 655-665
- Breast reconstruction(s), analysis and long-term results of, 689-701
 late results of, 698-700
 latissimus dorsi, discussion of, 719-725
 unsatisfactory, capsular "deformation" as cause of, 717-726
 materials and methods for, 689-690
 patient selection and information for, 689-693
 principles of, 693-696
 results of, 696-698
 symmetry of, 699-700
 transverse abdominal island flap for, 703-716
- Buck's fascia, structures in, 405
- Burns, genital, emergency therapy of, 439-440
- Canalicular lacerations, 204-206
- Cancer(s), of breast. See *Breast(s), cancer of.*
 reconstruction of medial canthus in, 256-258
- Canthus, lateral, rounded, following blepharoplasty, 330
 medial. See *Medial canthus.*
- Capsular contracture, classification of, 529, 530
 established, correction of, 528-529
 etiologic theories of, 524
 following transaxillary subpectoral augmentation mammoplasty, 563-566
 hard breasts, soft data, 521-532
 history of, 522-524
 in foam-covered breast implants, 535-537
 in polyurethane-covered mammary prostheses, 579
 incidence of, 525, 526
 onset of, 525
 reduction of incidence of, 525-528
 transverse abdominal island flap in, 698-699
- Capsular "deformation", as cause of unsatisfactory latissimus dorsi breast reconstruction, 717-726
- Capsule formation, following mastectomy, 717, 718
- Capsulotomy, closed, gel extruding from nipple following, 524
 open, in established contracture, 529
- Carcinogenicity, foam-covered mammary implants and, 538
- Carcinoma(s), basal-cell, recurrent, oculoplastic surgery in, 285
 in situ, of breast, 662-663
 squamous-cell, of oropharynx, multidisciplinary approach in, 268-272
 recurrent, oculoplastic surgery in, 284, 286
- Cartilage(s), augmentation, in saddle deformity, 88
 removal of, in open rhinoplasty, 101-103
 upper lateral, in rhinoplasty, 23-27
- Caustic burns, to genitalia, treatment of, 440
- Cellulitis, following blepharoplasty, 327-329
- Central pedicle free-hand technique, anatomic vascular basis of, 613, 614
 complications of, 617
 experience using, 617
 for alteration of volume and skin envelope of breast, 613-625
 preoperative markings for, 613-614, 615
 results of, 617-625
 technique of, 613-617

- Cerebrospinal fluid, leakage of, in orbital fractures, 241
- Cervix, carcinoma of, recurrent, 449
- Chalazia, following blepharoplasty, 332
- Chemical burns, to genitalia, treatment of, 440
- Chest, left, intraoperative topography of, 562
- subpectoral structures of, 561
- Chest wall defects, transverse abdominal island flap in, 704
- Child(ren), fractures of orbit in, 251
- hypospadias in. *See also Hypospadias, in pediatric patient.*
- 1 to 3 years of age, 401
- return of normalcy for, 403
- 3 to 6 years of age, 401
- Chin, 125-137
- anatomy of, 125, 126
- augmentation of, 139-142
- clinical evaluation of, 125-128, 129
- deformity of, treatment of, 128-136
- reduction of, 142-143
- skeletal anomalies of, treatment of, 128-136
- soft-tissue surgery of, 136
- Chordee, causes of, 405
- correction of, in epispadias/exstrophy, 384-385
- in hypospadias repair, 345
- definition of, 405
- flip-flap hypospadias repair in, 346-348, 349
- persistent, following hypospadias repair, 378
- severe, following genital trauma, 434
- skin grafts in, 418
- Circumcision, complicated, counseling in, 460
- Cleft lip, nasolabial repair and, 73-82
- Clinical nurse specialist, in pediatric hypospadias repair, 403
- Clitoris, incorporation of, into radial arm flap, 426
- Colles' space, hematoma in, 431, 432
- Columella. *See Nose, columella of.*
- Columellar-labial junction, 6
- Computed tomography, in orbital neoplasm, 266
- Computerized scanning, in orbital fractures, 212
- Conjunctivodacryocystorhinostomy, 203
- Consent form, for informed consent, 543-544
- Cosmetic surgery, upper blepharoplasty, 289-297
- Cowden's disease, mastectomy in, 681-682
- Craniofacial procedures, reconstruction of medial canthus following, 260-261
- Crawford technique, in ptosis, 181-182
- Dacryocystorhinostomy, 200-203
- Dermabrasion, with rhinoplasty, 164
- Diplopia, following blepharoplasty, 327
- Diverticula, urethral, as complication of hypospadias repair, 373-376
- Dressing care, in pediatric hypospadias repair, 403
- Dystopias, in orbital deformities, 226
- Edema, as complication of hypospadias repair, 372
- Electrical burns, to genitalia, treatment of, 440
- Emphysema, subcutaneous periorbital, in orbital fractures, 242
- Enophthalmos, in orbital deformities, 228-236
- Epicanthus, reconstruction of, reconstruction of medial canthus following, 261, 262
- Epispadias/exstrophy, aim of surgery in, 390, 391
- correction of chordee in, 384-385
- etiology of, 381
- monoplasty/escutcheon repair in, 388
- postoperative care in, 388-389
- reconstruction of, rectus abdominis muscle and fascia flap in, 393-397
- release of penis in, 382-384
- secondary genital deformities of, repair of, 381-391
- in female, 388, 389
- in male, 381-388
- skin coverage in, 387
- skin grafts in, 412-414, 415
- umbilicoplasty in, 388
- urethroplasty in, 385-387
- Epithelioid sarcoma, of penis, 489-492
- Exercises, displacement, to prevent capsular contracture, 528
- Exophthalmos, and ptosis, 169
- in orbital fractures, 241, 246-247
- in orbital neoplasm, 265
- Exstrophy, abdominal closures in, 393, 394
- female, 396
- in older female, 393, 395
- Extraocular motility, impaired, following blepharoplasty, 327
- Eye(s), dry, following blepharoplasty, 322-326
- movement of, impaired, following blepharoplasty, 327
- protective mechanisms of, 174-175
- surgery of, issue on, 169-340
- Eyelashes, alopecia of, following blepharoplasty, 332
- Eyelid(s). *See also conditions involving.*
- anatomy of, 173
- cicatricial lower, bowing of, following blepharoplasty, 316-322
- malposition of, following blepharoplasty, 314-316
- problems of, in orbital fractures, 248
- Face, landmarks of, 127
- lower, aesthetics of, 129
- profile of, normal standards for, 128
- Fasanella-Servat procedure, in ptosis, 185-186
- Fat, excision of, for upper blepharoplasty, 291-292, 293, 294
- inappropriate resection of, in blepharoplasty, 329
- Festoons, following blepharoplasty, 333-334
- Fissure(s), palpebral, asymmetry of, following blepharoplasty, 330
- Fistula, as complication of hypospadias repair, 372-373, 374
- Foam-covered mammary implants, 533-539
- Foreign body reaction, to foam-covered mammary implants, 533-537, 538
- Foreskin island flap, 358, 362-364
- Fracture(s), nasethmoidal, and orbital fractures, 209-223
- orbital. *See Orbit, fractures of.*
- zygomatic, 213-216
- Free-hand central pedicle technique, for alteration of volume and skin envelope of breast, 613-625
- Gels, silicone, 517-518
- Gender dysphoria, appropriate patients for, definition of, 463-464
- diagnosis of, criteria prerequisites for, 463
- in transsexualism, 471
- penile inversion surgery in, 464-465
- rectosigmoid vaginoplasty in, 465-469
- skin graft vaginoplasty in, 465
- social scientist in, 463
- vaginoplasty in, results of, 468, 470

- Genital trauma, male, 431-442
 avulsion, 437-439
 burns causing, 439-440
 diagnosis and management of, 432-433
 in bites, 437
 in radiation injury, 440
 nonpenetrating, 433-434
 penetrating, 434-437
 treatment of, 510-511
- Genitalia, male, anatomy of, 431-432
 congenital anomalies of, 455, 457
 cosmetic procedures on, 455-456
 degenerative conditions of, 457
 disorders of, personality and sexual functioning in, assessment of, 461
 traumatic injuries of, treatment of, 510-511
- Genitourinary reconstructive surgery, assessment and support of sexual functioning in, 455-462
 issue on, 341-516
- Glans, slough of, following hypospadias repair, 378, 379
- Glansplasty, and advancement of meatus, in hypospadias repair, 346, 347
- Global perforation, in blepharoplasty, loss of vision in, 314
- Graft(s), materials for, in saddle deformity, 90
 skin. See *Skin grafts*.
- Grief, in penile trauma, 460
- Hamartomas, congenital, 170-171
- Hemorrhage. See *Bleeding*.
- Hormones, in management of transsexualism, 473
- Hospitalization, preparation of child for, in hypospadias repair, 399-400
- Hypospadias, definition of, 341, 355
 in pediatric patient, elective repair of, timing of, 403
 nursing responsibilities in, 400-401
 perioperative nursing care of, 399-404
 postoperative care in, 403
 theory of approach to, 399-400
 preoperative evaluation of, 356
 secondary, 366
 severe penoscrotal, 358-366, 367, 368-369
 skin grafts in, 412, 413, 414
 surgery, Cecil Culp technique of, 342, 344
 closure techniques in, 350, 352
 complications of, 371-380
 Dennis Browne technique of, 342, 343
 flip-flap, 346-348, 349
 free grafting in, 342
 general considerations prior to, 371
 history of, 341-342
 late complications of, 373-379
 new era of, 341-354
 one-stage repair in, 342-346
 perioperative complications of, 371-373
 postoperative care in, 350-353
 risks associated with, 371
 Thiersch-Duplay (Byars) technique of, 341-342, 343
 urethroplasty following, 346-350
 urinary diversion following, 353
 surgical classification of, 355-356, 357
- Hypospadiacs, repaired, psychologic characteristics of, 402-403
- Hysterectomy, in female transsexualism, 473, 475
- Incision(s), in open rhinoplasty, 97-100
- Incisional scarring, following blepharoplasty, 333
- Infection(s), in foam-covered mammary implants, 537-538
 in polyurethane-covered mammary prostheses, 582, 583, 584
 involving penis and scrotum, management of, 511
 postoperative, prevention of, in pediatric hypospadias repair, 403
- Inflammation, in Peyronie's disease, 406
- Informed consent, adjuncts, as part of medical record, 543
 and complications and economic consequences of, 544
 consent form for, 543-544
 consultation for, 541-543
 consultation outlines for, 542, 544-548
 establishment of, 541-543
 in aesthetic and reconstructive surgery of breast, 541-548
 photographs for, 542-543
 printed supplements for, 542
 provider of information for, 544
 slide presentations and videotapes for, 543
- Jaw winking syndrome, 170
- Keel graft, in post-cleft reconstruction, 77, 81
- Lacrimal drainage, problems of, in orbital fractures, 248-249
- Lacrimal gland, ptotic, blepharoplasty in, 295
- Lacrimal sac/nasolacrimal system, trauma to, 206
- Lacrimal system, dysfunction of, following blepharoplasty, 322-327
 excretory, 195-197
 trauma to, 197-200
- Lashes, alopecia of, following blepharoplasty, 332
- Levator advancement, in ptosis, 190, 191
- Levator function, 174
- Lids. See *Eyelid(s)*.
- Lip(s), cleft, nasolabial repair and, 73-82
 clinical evaluation of, 125-128, 129
 revision of, in post-cleft nasal deformity, 78, 81
 upper, consideration of, in rhinoplasty, 122
- Lipectomy, cervical, suction-assisted, 143-145
- Lymphatic drainage, of penis and scrotum, 507
- Lymphedema, chronic, from radiotherapy, 440
 classification of, 507-508
 conditions simulating, 510
 of penis and scrotum, 507-511
 excisional therapy of, 508-509, 510
 Gillies procedure in, 509
 history of treatment of, 508-509
 lymphangioplasty procedures in, 509
 omental transposition in, 509
 pneumatic compression in, 509-510
 suction-assisted lipectomy in, 509
 primary, 508
 secondary, 508
 skin grafts in, 418, 419, 420
- Magnetic resonance imaging, in orbital neoplasm, 267
- Malar prominences, augmentation of, 145
- Mammary implants. See *Breast implant(s)*.
- Mammary prosthesis, polyurethane-covered. See *Polyurethane-covered mammary prostheses*.

- Mammoplasty, augmentation. See *Augmentation mammoplasty*.
 reduction. See *Reduction mammoplasty*.
 with short horizontal scar, 627-639
 durability of, 634
 modifications of, 637-639
 results of, 630-637
 scar in, 637
 technique of, 627-630
 Marcus-Gunn syndrome, 170
 Mastectomy, capsule formation following, 717, 718
 in female transsexualism, 473-475
 materials and methods for, 717-718
 potential, conditions for, 680-682
 prophylactic, indications for, 677
 radical, transverse abdominal island flap following, 703
 results of, capsule formation and, 718
 subcutaneous, creation of submuscular pocket in, 668-669
 individualization of approach in, 669-673
 surgical alternatives in, 667-676
 technique for, 682-683, 684
 versus total, 682, 684
 with mastopexy, 671-673, 674
 with submuscular tissue expander, 671
 with transverse rectus abdominus reconstruction, 673, 675
 total, indications and techniques for, 677-687
 with immediate reconstruction, 683
 Mastectomy cripple, transverse abdominal island flap for, 703-704
 Mastodynia, mastectomy in, 681
 Mastopexy, augmentation, central pedicle free-hand technique for, 613, 617-620
 minus-plus, 595-600
 advantages and disadvantages of, 599
 decision making for, 596-597
 discussion of, 597-599
 technique of, 595-596
 subcutaneous mastectomy with, 671-673, 674
 Maxilla, anterior, spine of, rhinoplasty and, 117, 118, 119, 120
 Meatus, advancement of, and glansplasty, in hypospadias repair, 346, 347
 hypospadiac, 341, 342
 retrusion of, as complication of hypospadias repair, 377-379
 stenosis of, as complication of hypospadias repair, 376-377
 Medial canthus, anatomy of, 255-256
 reconstruction of, 255-262
 following craniofacial procedures, 260-261
 following epicanthal reconstruction, 261, 262
 following trauma, 258-260
 in cancer, 256-258
 in telecanthus, 261-262
 Medication, preoperative, for rhinoplasty, 15
 Meningioma, frontal, multidisciplinary approach to, 271, 272
 Metoidioplasty, in female transsexualism, 481-486
 Microphthalmos, congenital, 170
 Microvascular procedures, in oculoplastic surgery, 283-287
 Millard excision, in alar rim deformities, 151-153
 Monsplasty/escutcheon repair, in epispadias/estrophy, 388
 Multiple hamartoma syndrome, mastectomy in, 681-682
 Muscle(s), derangement of, in orbital fractures, 243-244, 245-246
 excision of, in blepharoplasty, 291
 Mustardé "split-level approach" in ptosis, 186
 Myasthenia gravis, 174
 Nasal bridge index, 2-3
 Nasal mucosa, deficiency of, in saddle deformity, 86
 Nasal septum, deformity of, in saddle deformity, 85
 Nasoethmoidal and orbital fractures, 209-223
 Nasolabial angle, deformities of, rhinoplasty in, 38
 importance of, in rhinoplasty, 115, 116
 Nasolabial area, rhinoplasty and, 115-124
 Nasolabial repair, cleft lip and, 73-82
 Nasolacrimal disorders, and treatment of, 195-207
 Nasolacrimal system, obstruction of, 196
 Nasolacrimal/lacrimal sac system, trauma to, 206
 Neoplasm(s), orbital. See *Orbit, neoplasm(s), of*.
 Nerve(s), optic, tumor of, multidisciplinary approach to, 268, 269
 pectoral, therapeutic manipulation of, 604
 Neurectomy, pectoral, primary selective, 608
 in subpectoral augmentation mammoplasty, 608-609
 Neuroblastoma, radiated, oculoplastic surgery in, 285
 Neurofibromatosis, congenital, 170-171
 Neurotomy, pectoral, secondary selective, 604-608
 Nose, anatomy of, 1, 3
 clinical implication of, 7-9
 anthropometric areas of, 2
 augmentation of, ancillary procedures in, 64-65
 bone of, fracturing of, in basic primary rhinoplasty, 22-23
 bridge of, 2-4
 in basic primary rhinoplasty, 21-22
 cartilage and/or bone of, upper lateral, deformities of, rhinoplasty in, 34-37
 columella of, 5, 6
 augmentation of, 60-63, 66-71
 considerations of, for rhinoplasty, 115-120
 deformities of, rhinoplasty in, 37-38
 retraction of, in saddle deformity, 86-88
 deviated, adjunctive procedures on, 49-50
 case histories of, 51, 52, 53, 54
 definition of, 43
 management of, 43-55
 clinical analysis for, 44
 principles of, 43-44
 osseocartilaginous framework of, surgery on, 44-45
 septal surgery of, 45-47
 surgical technique in, 44-47
 dome of, deformed cartilage of, rhinoplasty in, 40-41
 dorsum of, 3-4
 augmentation of, 58-60
 inclination and angles of, 5
 "L" strut of, dorsally deviated, correction of, 48
 loss of support of, correction of, 48-49
 length of, shortening of, in rhinoplasty, 17-21
 lining of, rhinoplasty and, 159-160
 lobule of, anatomy of, 155
 non-Caucasian, augmentation rhinoplasty in, 57-72
 techniques for, 57-64
 photographic analysis of, 8
 reconstruction of, aesthetic aspects of, 155-166
 root area of, 1-2
 septum of. See *Septum*.
 soft, 4-7
 tip of, augmentation of, 63-64, 65, 67-69
 elevation of, in rhinoplasty, 17-21
 in saddle deformity, 86-87

- Nose (Continued)**
 tip of, projection of, lack of, rhinoplasty in, 29-32
 support for, rhinoplasty and, 122-124
 thick, rigid, rhinoplasty in, 38-40
 upper lateral cartilage of, in basic primary rhinoplasty, 23-27
- Nurse, responsibilities of, in pediatric hypospadias repair, 400-401**
- Ocular displacement, in meningioma, multidisciplinary approach to, 271, 272**
- Ocular motility, impaired, following blepharoplasty, 327**
- Oculoplastic surgery, in radiated neuroblastoma, 286**
 in recurrent basal-cell carcinoma, 285
 in recurrent squamous-cell carcinoma, 284, 286
 microvascular procedures in, 283-287
- Oils, silicone, 517**
- Ophthalmoplegia, chronic progressive external, 174**
- Oppenheimer effect, 538**
- Optic nerve, tumor of, multidisciplinary approach in, 268**
- Orbicularis oculi muscle, anatomy of, 305-306**
- Orbit, anterior third of, fractures in, 212-219**
 apex of, fractures of, 222
 deformities of, material for treatment of, 237-238
 post-traumatic, 225-238
 treatment of, 225-235
 types of, 225
 disease processes involving, 263-264
 divisions of, anatomy of, 209-211
 floor of, fractures of, 220-222
 misplaced, in orbital fractures, 247-248
 fractures of, and nasooethmoidal fractures, 209-223
 diagnosis of, 211-212
 early and late complications of, 239-253
 in growing child, 251
 reconstruction in, failures of, 249-251
 middle third of, fractures in, 219-222
 neoplasm(s) of, categorization of, 267-268
 evaluation of, 264-268
 multidisciplinary approach to, 263-272
 cases illustrating, 268-272
 treatment of, 264
 posterior third of, fractures in, 222
 roof of, fractures of, 219-220
 tumors of, surgical approaches to, 273-281
- Orbitotomy, anterior medial, 273-275**
 lateral, 275-277
 superior, 277-281
- Oropharynx, squamous-cell carcinoma of, multidisciplinary approach in, 268-272**
- Osteotomy, lateral, in basic primary rhinoplasty, 22-23**
 in skeletal anomalies of chin, 131, 133, 134, 135
- Pain, fear of, in children, 402**
 postoperative, management of, in pediatric hypospadias repair, 403
- Palpation, in orbital neoplasm, 265-266**
- Palpebral fissure, asymmetry of, following blepharoplasty, 330**
- Parents, separation from, in pediatric hypospadias repair, 401**
- Pelvic exenteration, complications of, 449-450**
 in cervical cancer, 449
 indications for, 449
 mortality in, 449, 450
 myocutaneous flaps in, 450
 reconstruction of, reasons for, 450
 transverse and vertical rectus abdominis myocutaneous flaps in, 451, 452
- Pelvis, high defects of, correction of, with inferiorly based rectus abdominis myocutaneous flap, 449-454**
- Penile inversion surgery, in gender dysphoria, 464-465**
- Penis, amputation of, in self-mutilation, 436-437**
 management following, 435-436
 replantation following, 434
 traumatic, transfer flaps in, 439
- anatomy of, 405**
 appearance of, concern with, Peyronie's disease and, 459
 avulsion injuries of, management of, 437-439
 construction of, by radial arm flap, 425-430, 439
 results of, 430
 degenerative conditions of, 455
 degloving injuries of, treatment of, 510
 epithelioid sarcoma of, 489-492
 case report of, 489-490
 pathology of, 490
 review of cases of, 489
 treatment of, 490-492
 "fracture" of, 433-434
 hypospadiac, 341
 infections of, management of, 511
 lymphatic drainage of, 507
 lymphedema of, 507-511
 obsessions concerning, 461
 recipient area for dissection of, for flap, 426
 reconstruction of, evaluation of skin grafts in, 411-424
 requirements for, 425
 skin grafts in, 420-421
 release of, previous techniques for, 381-382
 technique for, 382-384
 sagittal schematic of, 432
 structural situation in, contributing to Peyronie's disease, 406
 torsion of, following hypospadias repair, 378
 transplantation of radial arm flap to, 426
 trauma to, causes of, 455
 counseling in, 460
 reactions to, 460
 skin grafts in, 418, 419
- Penopreputial island flaps, 358**
- Periorbital derangement, in orbital fractures, 245**
- Peyronie's disease, 405-409**
 behavioral patterns in, 458-459
 concern with penile appearance and, 459
 description of, 405-406
 factors in study of men with, 459
 impotence and, 406
 incidence of, 405
 inflammation in, 406
 intercourse in, 406
 preoperative curvature of, 406, 408
 structural situation contributing to, 406
 surgery in, 406-407, 408
 preoperative explanations for, 459
 surgical technique in, 407-409
 symptoms of, 406
- Phalloplasty, in female transsexualism, 475-481, 482**
- Physical examination, in orbital fractures, 211-212**
 in orbital neoplasm, 265
 preoperative, for rhinoplasty, 15, 16
- Physician, in preparation of child for hypospadias repair, 402**
- Pigmentation, dermal, following blepharoplasty, 334**
- "Pinocchio" tip, persistent, rhinoplasty in, 40-41**
- Polyurethane-covered mammary prostheses, 569-585**
 capsular contracture in, 579
 clinical experience with, 571-572
 complications of, 582-584
 description of, 569-570

- factors considered in choosing, 576
 in augmentation mammoplasty, 554
 mechanism of action of, 570
- Polyurethane foam-covered breast implants, 526, 533-539
- Preputial and penopreputial flaps, vascularized, indications for, 366
 use of, 356-366
- Preputial vascularized island flap, 348-350, 351
- Proptosis, in meningioma, multidisciplinary approach to, 271, 272
- Prostheses, breast. *See Breast implant(s).*
- Pseudoptosis, causes of, 169, 170
- Psychological effects, of hypospadias complications, 379
- Ptosis, acquired, 171-174
 causes of, 171
 amount of, 175
 asymmetric, 176
 classification of, 169
 congenital, 170-171
 diagnosis of, 174-177
 differential diagnosis of, 169, 170
 evaluation and management of patient with, 169-184
 involutional, 172-174
 lid contour and crease in, 175
 ocular anomalies associated with, 170-171
 of lacrimal gland, blepharoplasty in, 295
 post-traumatic, 174
 surgery in, aponeurotic, 177-179, 188, 189
 choice of procedure for, 176-177
 cosmetic and functional considerations in, 185-193
 external levator resection, 179-181
 frontalis suspension, 181-184
 problems associated with, 175-176
- Radiation injury, to male genitalia, 440
- Reconstructive surgery, in saddle deformity, graft harvesting for, 89-90
 graft immobilization in, 90-92
 graft material for, 88
 recipient site preparation in, 90
 shaping graft for, 90
 aesthetic aspects of nasal, 155-166
- Rectosigmoid vaginoplasty, in gender dysphoria, 465-469
- Rectus abdominis muscle, in epispadias/exstrophy reconstruction, 393-397
- Rectus abdominis myocutaneous flap(s), advantages of, 451-453
 disadvantages of, 453
 errors in technique in, 453
 inferiorly based, 450-453
 correction of high pelvic defects with, 440-454
 transverse and vertical, in pelvic exenteration, 451, 452
- Reduction mammoplasty, central pedicle free-hand technique for, 617, 618
 using nipple-areola transplantation, 641-654
 complications of, 645-652
 consultation and recommendations for, 642
 history of, 641
 patient population for, 641-642
 perioperative evaluation for, 642-643
 postoperative course in, 645, 654
 technique of, 643-645, 646-648
- Rehabilitation, for post-cleft nasolabial stigma, 73-82
- Retromammary implantation, versus retropectoral implantation, for augmentation mammoplasty, 549-555
- Retropectoral implantation, versus retromammary implantation, for augmentation mammoplasty, 549-555
- Rhinoplasty, adjunctive procedures to, 160-165
 ancillary procedures and, 139-154
 and nasolabial area, 115-124
 anesthesia for, 15-17
 augmentation, for correction of non-Caucasian nose, 57-72
 basic primary, 15-27
 surgical procedure for, 17
 suturing in, 27
 taping and splinting in, 27
 consideration of columella for, 115-120, 121, 122, 123
 external skin coverage for, 156-157, 158
 future directions in, 9
 image and reality of, 1-13
 in alar deformities, 34
 in deformities of columella, 37-38
 in deformities of upper lateral cartilage and/or bone, 34-37
 in lack of tip projection, due to lack of projection of lower lateral cartilage domes, 29
 due to loss of septal support, 29-32
 in persistent "Pinocchio" tip and/or markedly deformed dome cartilage, 40-41
 in saddle deformity, 32-33
 in supratip deformity, 33-34
 in thick, rigid tip, 38-40
 issue on, 1-168
 lining of nose and, 159-160
 maxilla and, 117, 118, 119, 120-122
 nasal tip elevation and/or nasal length shortening in, 17-21
 nasolabial angle and, 115-116
 open, 95-114
 considerations for, 113-114
 disadvantages of, 113
 postoperative considerations in, 106
 results of, 106-113
 technique of, 95-106
 planning of, 155-165
 preoperative examination for, 15, 16
 preoperative medication for, 15
 reconstructive and aesthetic, differences in, 155
 secondary, 29-41
 skeletal support for, 157-159
 terminology in, 1
 tip support for, 122-124
 upper lip and, 122
- Rib bone grafts, for nasal augmentation, 58-60, 61
- Roentgenography, in orbital neoplasm, 266
- Rubbers. *See Silicone(s), rubber.*
- Saddle nasal deformity, 83-83
 analysis of, 84-88
 etiology of, 83
 rebuilding in. *See Reconstructive surgery, in saddle deformity.*
 rhinoplasty in, 32-33
- Scar, short horizontal, mammoplasty with, 627-639
- Schizophrenia, penile dissatisfaction in, 461
- Scrotoperineal modification, following hypospadias repair, 350, 351
- Scrotum, contusions of, 434, 435
 hematoma of, management of, 510-511
 infections of, management of, 511
 lymphatic drainage of, 507
 lymphedema of, 507-511
 malposition of, following hypospadias repair, 378

- Scrotum (*Continued*)
 reconstruction of, evaluation of skin grafts in, 411-424
 trauma to, skin grafts in, 418, 419
- Septoplasty, in open rhinoplasty, 103-105
- Septum, deviated caudal, correction of, 47-48
 lack of tip projection in loss of support of, rhinoplasty in, 29-32
 morselization of, 45-47
 perforations of, closure of, 49
 resection of, 45
 segmental transection of, 47
 splinting of, 50
 swinging-door flap procedure on, 47
- Sexual functioning, in genitourinary reconstructive surgery, assessment and support of, 455-462
- Sexual therapist, in genital abnormalities, assessment of patients by, 455
 counseling by, 456-457
 interview of patients by, 456
- Silastic implant, in chin anomalies, 131-132
 in chin augmentation, 141-142
 in malar augmentation, 145-148
- Silicone(s), 517
 adhesive, 518-519
 for reconstruction in saddle deformity, 89
 gels, 517-518
 oils, 517
 related terms, 518
 rubber, 518
 elasticity of, 519-520
 permeability of, 520
 strength of, 519
- Silicone technology, for plastic surgeon, 517-520
- Skeletal derangement, in orbital fractures, 242-243, 244-245
- Skeletal support elements, for rhinoplasty, 157-159
- Skin, disorders of, skin grafts in, 420, 421, 422
 excision of, in blepharoplasty, 291
 incisions, for blepharoplasty, 291
 markings, for blepharoplasty, 289-290, 292-293
 rash, in polyurethane-covered mammary prostheses, 582-583, 584
- Skin coverage, external, for rhinoplasty, 156-157, 158
- Skin graft(s), characteristics of, compared, 422-423
 complications of, 412
 dermal, in Peyronie's disease, 407-409
 evaluation of, for reconstruction of penis and scrotum, 411-424
 full-thickness, for vaginal construction, donor sites for, 447
 for vaginal reconstruction, 443-448
 history of, 411, 414
 in epispadias/exstrophy, 387
 urethroplasty, in urethral strictures, 498-504
 genitourinary conditions manageable by, 411
 history of, 411-412
 in chordee, 418
 in dermatologic disorders, 420, 421, 422
 in epispadias, exstrophy, and umbilical defects, 412-414, 415
 in hypospadias, 412, 413, 414
 in lymphedema, 418, 419, 420
 in penile reconstruction, 420-421
 in Peyronie's disease, 412, 414-417
 in trauma to penis and scrotum, 418, 419
 in urethral strictures, 414, 416, 417
 in vaginal reconstruction, 421-422
 indications for, in genitourinary problems, 422-423
 preputial, properties of, 414
 principles of use of, for genitourinary reconstruction, 423
 split-thickness, history of, 411
 in avulsion injuries of male genitalia, 438
 vaginoplasty, in gender dysphoria, 465
- Skin grafting, free, in hypospadias, 342
- Soft tissue, deficiency of, in saddle deformity, 85
- Soft-tissue derangement, in orbital fractures, 243-244
- Sphincter repair, and urethroplasty, rectus muscle reconstruction in, 396
- Splinting, in basic primary rhinoplasty, 27
 of nasal septum, 50
- Strabismus, and ptosis, 170
- Strip island flap, 358, 364-367
- Supraorbital rim, fractures of, 212-213
- Supratip deformity, rhinoplasty in, 33-34
- Suture(s), figure-of-eight, modified, in deviated nose, 49
- Suture tunnels, following blepharoplasty, 330-332
- Suturing, in basic primary rhinoplasty, 27
 in upper blepharoplasty, 295-296
- Synkinesis, 175
- Taping, in basic primary rhinoplasty, 27
- Telecanthus, following reconstruction of medial canthus, 261-262
- Testicle, fracture of, 434, 436, 437
- Transaxillary subpectoral augmentation mammoplasty, 557-568
- Transsexual surgery, in genetic female, 471-487
- Transsexualism, definition of, 471
 female, acceptance of, 471-472
 adjunctive surgical procedures in, 473-475
 behaviors in, 472
 change in body habitus in, 473
 hysterectomy in, 473, 475
 increasing incidence of, 472
 mastectomy in, 473-475
 patient profiles in, 472
 phalloplasty in, 475-481, 482
 guidelines for care in, 472-473
 hormonal therapy in, 473
 incidence of, 471-473
 male, differential diagnosis of, 472
- Transverse abdominal island flap, advances in, 715
 candidates for, 703-704
 complications of, 714, 715
 contraindications to, 704
 evaluation of reconstructed breast following, 714
 flap designs, pedicle choices and flap rotation for, 705-710
 for breast reconstruction, 703-716
 future for, 715
 in bilateral reconstruction, 709-710
 in modified radical reconstructions, 707-709, 710, 711
 patient satisfaction with, 714
 perioperative patient management for, 704-705
 postoperative abdominal wall competence and, 710-714
 risk factors in, 704
- Trauma, genital. *See Genital trauma.*
 reconstruction of medial canthus following, 258-260
- Tumor(s), orbital, surgical approaches to, 273-281
- Tumorigenesis, foreign body, 538
- Turbinate, inferior, hypertrophy of, causes of, 11
 local anesthesia in, 12
 nasal airway obstruction due to, diagnosis and treatment of, 11-13
 postoperative care in, 13

- postoperative packing in, 12
 surgery in, 12, 49-50
 Turbinate scissors, placement of, 12
- Ultrasonography, in orbital neoplasm, 266
 in urethral stricture disease, 493-494
 Umbilical defects, skin grafts in, 412-414, 415
 Umbilicoplasty, in epispadias/exstrophy, 388
 "Umbrella" graft, in rhinoplasty, 32, 33
 Urethra, building of, following hypospadias repair, 378-379
 male, anatomy of, 431
 injury to, management of, 433
 new, connection of, to original urethra, 426, 427-429
 strictures of, as complication of hypospadias repair, 376, 377
 skin grafts in, 414, 416, 417
 Urethral stricture disease, anterior, management of, 498-504
 classification of, 493, 494
 history of, 493
 management of, 493-505
 posterior, management of, 495-497
 reconstruction for, 493
 treatment of, 494-495
 ultrasound in, 493-494
 Urethroplasty, and sphincter repair, rectus muscle reconstruction in, 396
 flaps, vascularized, 355-370
 advantages and limitations of, 366-370
 materials and methods for, 366
 following hypospadias repair, 346-350
 full-thickness preputial graft, 348, 350
 full-thickness skin graft, in urethral strictures, 498-504
 in epispadias/exstrophy, 385-387
 Urethrotomy, internal, in anterior urethral strictures, 498
- Urinary diversion, postoperative pediatric hypospadias repair, 403
 Urinary stream, irregularities, following hypospadias repair, 377-378
- Vagina, congenital absence of, 443, 444
 age for treatment of, 443-444
 diagnosis of, 444
 postoperative care in, 445-446
 results of surgery in, 446-448
 surgical technique in, 444, 445
 reconstruction of, full-thickness skin grafts for, 443-448
 history of, 443-444
 skin grafts in, 421-422
 Vaginoplasty, for gender confirmation, 463-470
 preoperative assessment for, 469
 rectosigmoid, in gender dysphoria, 465-469
 sigmoid, safety of, 469
 skin graft, in gender dysphoria, 465
 Vision, loss of, following hemorrhage in blepharoplasty, 309-314
 from global perforation in blepharoplasty, 314
 in orbital fractures, 239-241
 Vulvectomy, radical, and lymph node dissection, in vulvar defects, 450
- Weir excision, modified, in alar rim deformities, 149-151, 152, 153-154
 "Witch's" chin, 136
- Z-plasty(ies), in epispadias/exstrophy, 387
 Zygomatic fractures, 213-216

